












TENSION CLASS	POWER AT 60% CO ₂ - MIX	COOLING
L	230 A - 200 A	AIR
	230 A - 200 A	
	230 A - 200 A	














CODE	DESCRIPTION	ORIGINAL REF.
COAXIAL CABLE STANDARD		
01.130 MK	TORCIA TW1 - MK 10 ft. - mt. 3 - MIG TORCH TW1 - MK 10 ft. - mt. 3	110 - 3035
01.140 MK	TORCIA TW1 - MK 12 ft. - mt. 4 - MIG TORCH TW1 - MK 12 ft. - mt. 4	112 - 3035
01.145 MK	TORCIA TW1 - MK 15 ft. - mt. 4,5 - MIG TORCH TW1 - MK 15 ft. - mt. 4,5	115 - 3035
01.130 TWE	TORCIA TW1 - EURO Spring Pins 10 ft. - mt. 3 - MIG TORCH TW1 - EURO Spring Pins 10 ft. - mt. 3	110 - 3035 E
01.140 TWE	TORCIA TW1 - EURO Spring Pins 12 ft. - mt. 4 - MIG TORCH TW1 - EURO Spring Pins 12 ft. - mt. 4	112 - 3035 E
01.145 TWE	TORCIA TW1 - EURO Spring Pins 15 ft. - mt. 4,5 - MIG TORCH TW1 - EURO Spring Pins 15 ft. - mt. 4,5	115 - 3035 E
COAXIAL CABLE MADE IN USA		
01.130 MKU	TORCIA TW1 cavo USA - MK 10 ft. - mt. 3 - MIG TORCH TW1 cavo USA - MK 10 ft. - mt. 3	110 - 3035
01.140 MKU	TORCIA TW1 cavo USA - MK 12 ft. - mt. 4 - MIG TORCH TW1 cavo USA - MK 12 ft. - mt. 4	112 - 3035
01.145 MKU	TORCIA TW1 cavo USA - MK 15 ft. - mt. 4,5 - MIG TORCH TW1 cavo USA - MK 15 ft. - mt. 4,5	115 - 3035
01.130 TWEU	TORCIA TW1 cavo USA - EURO Spring Pins 10 ft. - mt. 3 - MIG TORCH TW1 cavo USA - EURO Spring Pins 10 ft. - mt. 3	110 - 3035 E
01.140 TWEU	TORCIA TW1 cavo USA - EURO Spring Pins 12 ft. - mt. 4 - MIG TORCH TW1 cavo USA - EURO Spring Pins 12 ft. - mt. 4	112 - 3035 E
01.145 TWEU	TORCIA TW1 cavo USA - EURO Spring Pins 15 ft. - mt. 4,5 - MIG TORCH TW1 cavo USA - EURO Spring Pins 15 ft. - mt. 4,5	115 - 3035 E

ITEM	Part No	DESCRIPTION	ORIGINAL REF.	PACK
1	01.21.37	Ugello gas Ø 10 mm. - Gas nozzle Ø 10 mm.	21 - 37	25
	01.21.50	Ugello gas Ø 13 mm. - Gas nozzle Ø 13 mm.	21 - 50	25
	01.21.62	Ugello gas Ø 16 mm. - Gas nozzle Ø 16 mm.	21 - 62	25
2	02.01.15.06	Punta guidafile Ø 0,6 mm. - Contact tip Ø 0,6 mm.	11 - 26	100
	02.01.15.08	Punta guidafile Ø 0,8 mm. - Contact tip Ø 0,8 mm.	11 - 30	100
	02.01.15.09	Punta guidafile Ø 0,9 mm. - Contact tip Ø 0,9 mm.	11 - 35	100
	02.01.15.10	Punta guidafile Ø 1,0 mm. - Contact tip Ø 1,0 mm.	11 - 40	100
	02.01.15.12	Punta guidafile Ø 1,2 mm. - Contact tip Ø 1,2 mm.	11 - 45	100
3	01.51	Diffusore gas - Gas diffuser	51	50
4	01.61.60.C	Lancia completa - Complete torch head (61.60 + 71A + 61R)		1
	01.61.60	Lancia portacorrente nuda - Conductor tube	61 - 60	1
	01.71A	Copertura isolante per lancia - Insulation	71A	10
	01.61R	Ghiera fissaggio per lancia - Retaining nut	61R	1
5	01.101	Corpo torcia completa - Complete cable connector w/nut	101A	1
	01.19A	Dado corpo torcia - Nut		1
	01.19B	Ghiera corpo torcia - Connector sleeve		1
6	01.81	Impugnatura - Handle case	81	1
	01.122	Vite impugnatura - Screw		10
7	01.91	Interruttore completo - Trigger switch blades	91	1
	01.91A	Corpo interruttore - Trigger	91A	1
	01.91C	Coppia lamelle - Switch blades set (2 pcs)	91C	10

ITEM	Part No	DESCRIPTION	ORIGINAL REF.	PACK
8 	01.141.6	Supporto cavo anteriore - Cable support front	141 - 6	
9  10  11 	VA.FS.15.18	Fascetta stringicavo anteriore - Front clamp	131 - 12	
	01.244M	Faston interruttore - Faston for switch	244	
	VA.A96/P	Faston maschio cilindrico - Faston male	244DS	
12 	01.20.180 T	Cavo coassiale TW1-180A-25 mmq - Replacement cable TW1-180A-25 mmq per mt.		
	01.20.180U	Cavo coassiale USA TW1-180A-25 mmq - Replacement cable USA TW1 -180A-25mmq per mt.		
13 	01.42.4045	Guaina guidafilo Ø 0,8/1,0 mt.4,2 - Liner Ø 1,7 wire Ø 0,8/1,0 mt.4,2	42 - 4045	
	01.42.4045.5	Guaina guidafilo Ø 0,8 / 1,0 mt.5 - Liner Ø 1,7 wire Ø 0,8 / 1,0 mt.5		
	01.42.4045.7	Guaina guidafilo Ø 0,8 / 1,0 mt.7 - Liner Ø 1,7 wire Ø 0,8 / 1,0 mt.7		
	02.30.08	O - RING - O - RING	43 B	
13a 	01.04.MKAL	Guaina guidafilo per alluminio - Wire conduit for Aluminium		
	01.04.MKALT	Capocorda - Nut for wire conduit for Aluminium		
	02.30.08	O - RING - O - RING	43 B	
14 	01.30.01G	Mollone posteriore - Cable support spring		
15 	01.30.03T	Scatola posteriore tonda - Connector case		
16  	01.224	O - RING - Connector plug O - RING	224	
	01.30.174	Connessione posteriore MK - Central Connector MK		

TW1 EURO CONNECTION

17 	01.20.110.TWE	Cavo assemblato 10 ft. EURO Ø 12x1 - Assembled replacement cable 10 ft. EURO Ø 12x1		
18 	01.20.112.TWE	Cavo assemblato 12 ft. EURO Ø 12x1 - Assembled replacement cable 12 ft. EURO Ø 12x1		
	01.20.115.TWE	Cavo assemblato 15 ft. EURO Ø 12x1 - Assembled replacement cable 15 ft. EURO Ø 12x1		
	19 	01.20.110.TWEU	Cavo assemblato USA 10 ft. EURO Ø 12x1 - Assembled replacement cable USA 10 ft. EURO Ø 12x1	
20 	01.20.112.TWEU	Cavo assemblato USA 12 ft. EURO Ø 12x1 - Assembled replacement cable USA 12 ft. EURO Ø 12x1		
	01.20.115.TWEU	Cavo assemblato USA 15 ft. EURO Ø 12x1 - Assembled replacement cable USA 15 ft. EURO Ø 12x1		
	21 	VA.A96/P	Faston maschio cilindrico - Faston male	
VA.B1820		Manicotto - Sleeve		
01.20.01		Dado Ø 12 x 1 mm. - Nut Ø 12 x 1 mm.		
22 	01.20.02	Raccordo 12 x 1 mm. - Coax-cable fitting 12 x 1 mm.		
	01.30.01G	Mollone posteriore - Cable support spring		
23 	01.30.03T	Scatola posteriore tonda - Connector case		
24 	02.30.04	Ghiera - Nut		
25 	01.30.05	Corpo torcia Ø 12 x 1mm - EURO connector TW-E spring pins Ø 12 x 1mm		
	VA.A69/P	Faston femmina cilindrico - Faston female		
	02.30.08	O - RING - O - RING		
26 	01.30.06	Dado - Liner nut		
27 	13.30.08.1	Spinetta maschio mobile - Spring pin		