




**TORCIA COMPLETA senza HF Con Innesto rapido per:**




20-60A

MAX40CS<sup>®</sup>-MAX42<sup>®</sup>  
MAX43<sup>®</sup>-MAX43CS<sup>®</sup>  
POWERMAX<sup>®</sup>600-800-900

20-60A

| Part No     | RUBBER COVER                                       |                                     |
|-------------|----------------------------------------------------|-------------------------------------|
| PL.U09300.H | UNIQTORCH EL-120 HY- Manuale - MT.6                | - Hand torch EL - 120 HY MT. 6      |
| PL.U09380.H | PACCO CAVI UNIQTORCH EL-120 HY - Manuale MT.6      | - Lead assy. EL - 120 HY MT. 6      |
| PL.U09320.H | UNIQTORCH EL-120 HY- MACCHINA - MT.7,5             | - Machine torch EL - 120 HY MT. 7,5 |
| PL.U09330.H | UNIQTORCH EL-120 HY- MACCHINA - MT.15              | - Machine torch EL - 120 HY MT. 15  |
| PL.U09390.H | PACCO CAVI UNIQTORCH EL-120 HY - MACCHINA - MT.7,5 | - Lead assy. EL - 120 HY MT. 7,5    |
| PL.U09395.H | PACCO CAVI UNIQTORCH EL-120 HY - MACCHINA - MT.15  | - Lead assy. EL - 120 HY MT. 15     |

**TORCIA COMPLETA senza HF - Senza Innesto rapido per:**




20-60A

POWERMAX<sup>®</sup> 600

20-60A

| Part No     | RUBBER COVER                                               |                                           |
|-------------|------------------------------------------------------------|-------------------------------------------|
| PL.U09301.H | UNIQTORCH EL-120 HY - PMX600 - Manuale - MT.6              | - Hand torch EL-120 HY PMX600- MT. 6      |
| PL.U09381.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX600 - Manuale MT.6      | - Lead assy. EL-120 HY PMX600- MT. 6      |
| PL.U09321.H | UNIQTORCH EL-120 HY- PMX600 - MACCHINA -SENZA HF MT.7,5    | - Machine torch EL-120 HY PMX600- MT. 7,5 |
| PL.U09331.H | UNIQTORCH EL-120 HY- PMX600 - MACCHINA -SENZA HF MT.15     | - Machine torch EL-120 HY PMX600- MT. 15  |
| PL.U09391.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX600 - MACCHINA - MT.7,5 | - Lead assy. EL-120 HY PMX600- MT. 7,5    |
| PL.U09396.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX600 - MACCHINA - MT.15  | - Lead assy. EL-120 HY PMX600- MT. 15     |

**TORCIA COMPLETA senza HF - Con Innesto rapido per:**




60-100A

POWERMAX<sup>®</sup> 1100

60-100A

| Part No     | RUBBER COVER                                                |                                            |
|-------------|-------------------------------------------------------------|--------------------------------------------|
| PL.U09302.H | UNIQTORCH EL-120 HY - PMX1100 - Manuale - MT.7,5            | - Hand torch EL-120 HY PMX1100- MT. 7,5    |
| PL.U09382.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX1100 - Manuale MT.7,5    | - Lead assy. EL-120 HY PMX1100- MT. 7,5    |
| PL.U09322.H | UNIQTORCH EL-120 HY- PMX1100 - MACCHINA - MT.7,5            | - Machine torch EL-120 HY PMX1100- MT. 7,5 |
| PL.U09332.H | UNIQTORCH EL-120 HY- PMX1100 - MACCHINA - MT.15             | - Machine torch EL-120 HY PMX1100- MT. 15  |
| PL.U09392.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX1100 - MACCHINA - MT.7,5 | - Lead assy. EL-120 HY PMX1100- MT. 7,5    |
| PL.U09397.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX1100 - MACCHINA - MT.15  | - Lead assy. EL-120 HY PMX1100- MT. 15     |

**TORCIA COMPLETA senza HF - Con Innesto rapido per:**




60-100A


















POWERMAX<sup>®</sup> 1000  
POWERMAX<sup>®</sup> 1250  
POWERMAX<sup>®</sup> 1650

60-100A

| Part No     | RUBBER COVER                                                          |                                                      |
|-------------|-----------------------------------------------------------------------|------------------------------------------------------|
| PL.U09303.H | UNIQTORCH EL-120 HY - PMX1000-1250-1650 - Manuale - MT.7,5            | - Hand torch EL-120 HY PMX1000-1250-1650- MT. 7,5    |
| PL.U09383.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX1000-1250-1650 - Manuale MT.7,5    | - Lead assy. EL-120 HY PMX1000-1250-1650- MT. 7,5    |
| PL.U09323.H | UNIQTORCH EL-120 HY- PMX1000-1250-1650 - MACCHINA - MT.7,5            | - Machine torch EL-120 HY PMX1000-1250-1650- MT. 7,5 |
| PL.U09333.H | UNIQTORCH EL-120 HY- PMX1000-1250-1650 - MACCHINA - MT.15             | - Machine torch EL-120 HY PMX1000-1250-1650- MT. 15  |
| PL.U09393.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX1000-1250-1650 - MACCHINA - MT.7,5 | - Lead assy. EL-120 HY PMX1000-1250-1650- MT. 7,5    |
| PL.U09398.H | PACCO CAVI UNIQTORCH EL-120 HY- PMX1000-1250-1650 - MACCHINA - MT.15  | - Lead assy. EL-120 HY PMX1000-1250-1650- MT. 15     |



| ITEM | Part No      | DESCRIPTION                         | PACK                         |                        |                                                                  |   |
|------|--------------|-------------------------------------|------------------------------|------------------------|------------------------------------------------------------------|---|
|      | PL.U07920    | Corpo torcia manuale EL-120 70°     | - Torch head EL-120 70°      |                        |                                                                  |   |
|      | PL.U07100.53 | 1a O - Ring                         | - O - Ring                   |                        |                                                                  |   |
|      | PL.HY40.06.1 | 1b O - Ring                         | - O - Ring                   |                        |                                                                  |   |
|      | PL.U07920.60 | 1c O - Ring                         | - O - Ring                   |                        |                                                                  |   |
|      | PL.U07106E   | 1d Impugnatura con pulsante 60-120A | - Handle with switch 60-120A |                        |                                                                  |   |
|      | PL.U07921    | Corpo torcia macchina EL-120 180°   | - Torch head EL-120 180°     |                        |                                                                  |   |
|      | PL.HY40.06.1 | O - Ring                            | - O - Ring                   |                        |                                                                  |   |
|      | PL.U07920.60 | O - Ring                            | - O - Ring                   |                        |                                                                  |   |
|      | PL.U07216    | 2a Impugnatura con cremagliera      | - Machine handle with Rack   |                        |                                                                  |   |
|      | PL.U7-2827   | 22 Pignone                          | - Pinion assembly            |                        |                                                                  |   |
|      | PL.U52600    | Elettrodo AIR/N2                    | - Electrode Air/N2           |                        |                                                                  |   |
|      | PL.U07923    | Dispositivo di accensione 20-100A   | - Start cartridge 20-100A    |                        |                                                                  |   |
|      |              | PL.U60060                           | 5 Diffusore GAS 20-60A       | - Gas diffuser 20-60A  | MX40 CS<br>PMX600<br>MX42<br>PMX800<br>MX43<br>PMX900<br>MX43 CS | 2 |
|      |              | PL.U60061                           | 6 Diffusore GAS 60-100A      | - Gas diffuser 60-100A | PMX1000<br>PMX1100<br>PMX1250<br>PMX1650                         | 2 |

| ITEM                                                                                          | Part No                                                                                        | DESCRIPTION                                                        | PACK                                                                                           |                                                         |    |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|
| <br>20-60A   | <br>60-100A   | PL.U51480                                                          | Ugello Taglio contatto AIR-N2 20-30A - Contact tip Air/N2 20-30A                               | MX40 CS PMX600                                          | 10 |
|                                                                                               |                                                                                                | PL.U51481                                                          | Ugello Taglio contatto AIR-N2 40A - Contact tip Air/N2 40A                                     | MX42 PMX800                                             | 10 |
|                                                                                               |                                                                                                | PL.U51482                                                          | Ugello Taglio contatto AIR-N2 50-60A per EL-120-SHY - Contact tip Air/N2 50-60A                | MX43 PMX900                                             | 10 |
|                                                                                               |                                                                                                | PL.U51484                                                          | Ugello Taglio contatto AIR-N2 60A - Contact tip Air/N2 60A                                     | PMX1000                                                 | 10 |
|                                                                                               |                                                                                                | PL.U51485                                                          | Ugello Taglio contatto AIR-N2 70A - Contact tip Air/N2 70A                                     | PMX1100                                                 | 10 |
|                                                                                               |                                                                                                | PL.U51486                                                          | Ugello Taglio contatto AIR-N2 80A - Contact tip Air/N2 80A                                     | PMX1250                                                 | 10 |
|                                                                                               | PL.U51487                                                                                      | Ugello Taglio contatto AIR-N2 90-100A - Contact tip Air/N2 90-100A | PMX1650                                                                                        | 10                                                      |    |
| 9                                                                                             |               | PL.U60442                                                          | 9 Molla - Coil spring                                                                          |                                                         | 5  |
| <br>20-60A   | <br>60-120A   | PL.U60482                                                          | 10 Ugello est. taglio a contatto 30-60A con molla - Shield cap body 30-60A                     | MX40 CS PMX600<br>MX42 PMX800<br>MX43 PMX900<br>MX43 CS | 1  |
|                                                                                               |                                                                                                | PL.U60483                                                          | 11 Ugello est. taglio a contatto 60-120A con molla - Shield cap body 60-120A                   | PMX1000<br>PMX1100<br>PMX1250<br>PMX1650                | 1  |
| <br>20-60A   | <br>60-120A   | PL.U60485                                                          | 12 Distanziale taglio a contatto - Manuale - 30-60A - Shield cap, hand 30-60A                  | MX40 CS PMX600<br>MX42 PMX800<br>MX43 PMX900<br>MX43 CS | 2  |
|                                                                                               |                                                                                                | PL.U60486                                                          | 13 Distanziale taglio a contatto - Manuale - 60-120A - Shield cap, hand 60-120A                | PMX1000<br>PMX1100<br>PMX1250<br>PMX1650                | 2  |
| <br>20-60A   | <br>60-120A   | PL.U60487                                                          | 14 Distanziale taglio a contatto - MACHINE - 20-60A - Shield cap, Machine 20-60A               | MX40 CS PMX600<br>MX42 PMX800<br>MX43 PMX900<br>MX43 CS | 2  |
|                                                                                               |                                                                                                | PL.U60488                                                          | 15 Distanziale taglio a contatto - MACHINE - 60-120A - Shield cap, Machine 60-120A             | PMX1000<br>PMX1100<br>PMX1250<br>PMX1650                | 2  |
| 16                                                                                            |             | PL.U52603                                                          | Elettrodo lungo AIR-N2 - Extended electrode Air/N2                                             |                                                         | 5  |
| <br>20-60A | <br>60-100A | PL.U51490                                                          | Ugello lungo AIR-N2 20-30A - Extended contact tip Air/N2 20-30A                                | MX40 CS PMX600                                          | 10 |
|                                                                                               |                                                                                                | PL.U51491                                                          | Ugello lungo AIR-N2 40A - Extended contact tip Air/N2 40A                                      | MX42 PMX800                                             | 10 |
|                                                                                               |                                                                                                | PL.U51492                                                          | Ugello lungo AIR-N2 50-60A - Extended contact tip Air/N2 50-60A                                | MX43 PMX900                                             | 10 |
|                                                                                               |                                                                                                | PL.U51493                                                          | Ugello lungo AIR-N2 60A - Extended contact tip Air/N2 60A                                      | PMX1000                                                 | 10 |
|                                                                                               |                                                                                                | PL.U51494                                                          | Ugello lungo AIR-N2 70A - Extended contact tip Air/N2 70A                                      | PMX1100                                                 | 10 |
|                                                                                               |                                                                                                | PL.U51495                                                          | Ugello lungo AIR-N2 80A - Extended contact tip Air/N2 80A                                      | PMX1250                                                 | 10 |
|                                                                                               | PL.U51496                                                                                      | Ugello lungo AIR-N2 90-100A - Extended contact tip Air/N2 90-100A  | PMX1650                                                                                        | 10                                                      |    |
| <br>20-60A | <br>60-100A | PL.U60482                                                          | 10 Ugello est. taglio a contatto 20-60A con molla - Shield cap body 20-60A                     | MX40 CS PMX600<br>MX42 PMX800<br>MX43 PMX900<br>MX43 CS | 1  |
|                                                                                               |                                                                                                | PL.U60483                                                          | 11 Ugello est. taglio contatto 60-120A con molla - Shield cap body 60-100A                     | PMX1000<br>PMX1100<br>PMX1250<br>PMX1650                | 1  |
| <br>20-60A | <br>60-100A | PL.U60490                                                          | 19 Distanziale lungo taglio a contatto - MANUALE - 20-60A - Extended shield cap, hand 20-60A   | MX40 CS PMX600<br>MX42 PMX800<br>MX43 PMX900<br>MX43 CS | 2  |
|                                                                                               |                                                                                                | PL.U60491                                                          | 20 Distanziale lungo taglio a contatto - MANUALE - 60-100A - Extended shield cap, hand 60-100A | PMX1000<br>PMX1100<br>PMX1250<br>PMX1650                | 2  |
|            | PL.U51864                                                                                      | Compasso Completo - Circle Cutting attachment                      |                                                                                                | 1                                                       |    |